PHILOSOPHICAL MAGAZINE, 21 DECEMBER 2003
VOL. 83, NO. 36, 4131–4138

# SUBJECT INDEX

## Vol. 83

PAGE

*ab initio* calculation . . . . . 3529
*ab initio* modelling . . . . . 1163, 2301, 2311
acoustic spectroscopy . . . . . .503
$Al_{90}Ce_{10}$ . . . . . .827
ALCHEMI . . . . . 4031
Al–Cu–Fe alloys . . . . . 1, 1287
Al–Cu–Ni alloys . . . . . .667
Al–Mg alloys . . . . . 3065, 3959, 3995
Al–Mn–Ce alloys . . . . . .807
Al–Ni–Co alloys . . . . . 1059
Al–Pd–Mn alloys . . . . . 1, 3133, 4103
alumina . . . . . 1889, 4071
aluminium alloys . . . . . 2429
Al–Zn–Mg–Cu alloys . . . . . .677
amorphous carbon . . . . . 1937, 3351
amorphous metal . . . . . 2545, 2585
amorphous silicon-nitrogen films . . . . . 2955
antiphase-boundary tubes . . . . . 179, 1007, 1431
$As_2S_3$ glass . . . . . 2941
atomic force microscopy . . . . . 2875
atomic transport . . . . . 61
atomistic simulation . . . . . 3569
atom location by channelling-enhanced microanalysis . . . . . 4031
$AuCu_3$ . . . . . 2293
Au layers . . . . . 1137

bainite . . . . . 3367
ball milling . . . . . 439, 1407, 2323, 3065, 3327
band gap closure . . . . . 1235
barium titanates, mixed-valence . . . . . .165
$Ba_{0.3}Sr_{0.7}TiO_3$ . . . . . 1565
bicrystals . . . . . 2221, 4071
biofouling . . . . . 2779
borocarbides, rare-earth nickel . . . . . 1227
bubble evolution . . . . . 2815
bubbles . . . . . 1393, 2573

carbon, amorphous . . . . . 1937
carriers, dispersive transport of . . . . . .797
$CaTiO_3$ . . . . . 1845
cavitation . . . . . 1807
centrifugal processing . . . . . 2797
cerium . . . . . 1735
clusters . . . . . 2573, 2669, 3765
clusters, planar . . . . . 61
cluster variation method . . . . . 1775
coarsening . . . . . 1075
coaxial composites . . . . . 1761

cobalt . . . . . .439
$CoFe_2O_4$ . . . . . 765
Co–Mo alloys . . . . . 1511
composites, fibre-reinforced metal matrix. . . . . 2267
composition fluctuations . . . . . 2641
connectivity . . . . . .711
convection . . . . . 2023, 2033, 2131, 2139, 2155
convergent-beam electron diffraction . . . . . 2383
copper oxide . . . . . 3847
crack behaviour . . . . . .985
crack extension force . . . . . .873
crack initiation . . . . . 3077
crack termination . . . . . 3077
cracks, surface. . . . . 3895
creep . . . . . 1827, 2681, 3005, 3463, 3959
creep, diffusion . . . . . 1675
creep, dislocation. . . . . .401
cross-slip . . . . . 3539
cryomilling . . . . . 1407, 3065
crystallization . . . . . 1747, 2545, 2557
crystallization behaviour . . . . . 2371
crystal-to-glass transition . . . . . 2599
$CuCrZrS_4$ . . . . . 2521
$Cu_2Mg$ . . . . . 2293
Cu–MnO . . . . . .727
cuprates, rare-earth . . . . . .527
Curie point. . . . . 1421
Cu–Zr–Ti–Pd alloys. . . . . 2989
cyclic deformation . . . . . .693, 3407

defect accumulation . . . . . . 61
defects . . . . . 2531
defects, interstitial . . . . . 3577
defects, point . . . . . .109, 589, 857, 889, 1533
defects, vacancy-type . . . . . .151
deformation behaviour . . . . . 2343
deformation mechanisms . . . . . 3065
deformation structures . . . . . 3871
densification . . . . . 1889
density functional theory . . . . . .365
devitrification . . . . . 203, 1747, 2989
diamond, electronic properties of . . . . . 1163
diamond nanowires . . . . . 2301, 2311
diamond, polishing of . . . . . .839
diamond, strength of . . . . . 4059
dielectric ceramics, microcracking in . . . . . .277
dielectric materials . . . . . .873
dielectric properties . . . . . 1379
diffusion. . . . . 329, 477, 2399
diffusion creep. . . . . 1675
diffusion, grain-boundary . . . . . 1551
diffusion kinetics . . . . . 377, 393
dilatancy . . . . . 2747
dilute fcc alloys . . . . . .377
dilute random alloys . . . . . .393
dipoles, faulted . . . . . 1347
disclinations, junction . . . . . 2653
dislocation boundaries . . . . . .969

dislocation climb . . . . . 3133
dislocation creep . . . . . .401
dislocation cross-slip . . . . . 3539
dislocation-defect interactions . . . . . .955
dislocation dynamics . . . . . 3705, 3723, 3735, 3809
dislocation emission . . . . . 3569
dislocation interactions . . . . . 3783, 3809, 3917
dislocation motion . . . . . 2449
dislocation networks . . . . . 1699
dislocation nucleation . . . . . 3609, 3753, 3765
dislocation-precipitate interaction . . . . . 3691
dislocation spreading . . . . . 3539
dislocation structure . . . . . 3407
dislocation substructure . . . . . 1033
dislocations . . . . . 231, 485, 539, 569, 857, 1111, 1191, 1639, 3871, 4103, 4123
dislocations, core structures of . . . . . .365
dislocations, distribution of . . . . . 2681
dislocations, partial . . . . . 1329
displacement cascades . . . . . 4083
domains . . . . . 513, 929, 933, 2915
double-diffusive process . . . . . 2109
dry limit . . . . . 2973
d-wave energy gaps . . . . . 3255

elasticity, micropolar . . . . . 1365
electron back-scattered diffraction . . . . . 1735
electron correlation interactions . . . . . .775
electron-energy-loss spectroscopy (EELS) . . . . . .839, 1937
electron-optical phase shift . . . . . 1045, 1143
embedded atom method . . . . . 3977
energy-loss near-edge fine structure (ELNES) . . . . . .165
epitaxial films . . . . . 3573
epitaxial layers . . . . . 3077
epitaxy . . . . . 3201
eutectic compositions . . . . . 2797
eutectic formation . . . . . 1095
extended planar boundary inclinations . . . . . .969

faceting . . . . . 2221
fatigue . . . . . .693
fatigue crack growth . . . . . 2429
$Fe_3Al$ . . . . . 2621
Fe–Al alloys . . . . . 295, 477, 1431
Fe–C–Mo alloys . . . . . 3367
Fe–Mn–Si alloys . . . . . 2875
Fe–N alloys . . . . . 1775
Fe–Nb–Cu–Al–Mn–Si–B alloys . . . . . 1495
Fe–Ni–P–Si alloys . . . . . 2323
FePd . . . . . 1797
Fermi distributions, phonon-stabilized . . . . . 2467
ferroelastic materials . . . . . 53
ferroelectric materials . . . . . 53
ferrofluids, stratified . . . . . 2139
ferromagnetic materials . . . . . 1421, 3193
ferromagnetism . . . . . 295, 789, 2521, 3247
Fe–Si alloys . . . . . 2865
field-flow fractionation, micro-thermal . . . . . 2045
fluids, multicomponent . . . . . 2209

foam . . . . . 1393, 2573, 2973
foams, liquid . . . . . 2747
fracture . . . . . 631, 873, 1807
fracture, ceramics . . . . . .745
fracture mechanisms. . . . . .137

GaAs. . . . . 1653
$GaAs_{1-x}N_x$ . . . . . 2531
GaAs/ZnTe/CdTe . . . . . .231
$GdSr_2Cu_2RuO_8$ . . . . . 3055
glasses, metallic . . . . . .203
glass relaxation . . . . . 3117
grain boundaries . . . . . 711, 1407, 1551, 2221, 3569, 3599, 3917, 4071
grain boundaries, diffusion in . . . . . 2399
grain boundaries, pinning of . . . . . 3387
grain boundaries, segregation to. . . . . 93, 889
grain boundary sliding . . . . . 1675
grain growth . . . . . 1075, 3549, 3643
grain structure evolution . . . . . 3549, 3643
growth kinetics . . . . . 3367

heterostructures . . . . . .231
high-resolution transmission electron microscopy (HRTEM) . . . . 231, 839, 1479, 4071
hopping transport . . . . . .901
Hubbard Hamiltonian . . . . . 2829
hybridization, degree of . . . . . .775

indentation. . . . . 3427, 3959
indentation, Vickers. . . . . .125
indentation-induced deformation . . . . . 1653
indexing scheme . . . . . 3283
interatomic potentials . . . . . 3977
interfaces . . . . . 1175
interfaces, segregation to . . . . . .727
interfacial structures. . . . . 1867
intergranular damage . . . . . 3995
internal friction . . . . . 2343
internal stress . . . . . 2681
interstitial atoms . . . . . . 61
interstitial defects. . . . . 3577
interstitial solid solutions . . . . . 1775
ion migration . . . . . 3309
iron films . . . . . 1929
iron, interatomic potentials for . . . . . 3977
iron, strengthening mechanisms in . . . . . 3623
iron, tensile strength. . . . . 3529
irradiation, effects of . . . . . 61, 151, 955, 1533, 2599, 3599, 3661, 3765

jogs, intersection . . . . . 1347

Kanthal . . . . . 2267
Kear-Wilsdorf locks. . . . . .179, 1007
kinetic demixing . . . . . 1855
kinetics, growth . . . . . 3367
kinetics, relaxation . . . . . .315
kink-pair nucleation. . . . . 1329

laminates . . . . . .245

Landau theory . . . . . 53
lattice distortions . . . . . 2383
lattice parameter mismatch . . . . . 3005
layered systems . . . . . .985
$La_{2/3}Ca_{1/3}MnO_3$ . . . . . 2915
$La_{0.7}Ca_{0.3}MnO_3$ . . . . . 1631
$La_{1-x}Pb_xMnO_3$ . . . . . 3181
$La_{2/3}Sr_{1/3}MnO_3$ . . . . . 3201
$La_{0.8}Sr_{0.2}MnO_3$ . . . . . 929, 933
lattice models . . . . . .569
lead films . . . . . 1033
liquid undercooling . . . . . 1511
localized states . . . . . 2531
long-range order . . . . . 2621
long-range order parameter . . . . . .315
Lorentz microscopy . . . . . 2899
low-dimensional systems . . . . . .797

magnetic materials . . . . . .295
magnetic nanoparticles . . . . . 1045, 1143
magnetic properties . . . . . 1495, 3169
magnetic structures . . . . . 1227
magnetism . . . . . 1613
magnetization . . . . . 1431, 2899, 3159
magnetoresistance . . . . . 1255, 3181
martensite . . . . . .935, 1479
martensitic transformations . . . . . .339
metallic glass . . . . . 203, 2323, 2371, 2409, 2545, 2585
metallic glass, bulk . . . . . 1747, 2989, 3463
Mg–Al–Cu–Li(–Y) alloys . . . . . 2797
Mg–Ni–Mm (Mm = misch metal) alloys . . . . . .203
Mg–Ni–Y–Mm (Mm = misch metal) alloys . . . . . .203
Mg–Zn–Y alloys . . . . . 2359
microcracking . . . . . .277
micromechanics . . . . . 3475
micromechanics modelling . . . . . .503
microstresses . . . . . 3225
microtexture analysis . . . . . 2761
micro-thermal field-flow fractionation . . . . . 2045
migration, ion . . . . . 3309
modelling, atomic and electronic . . . . . .217
modelling, atomistic . . . . . .415
modelling, dislocation . . . . . .539
molecular dynamics . . . . . 2087, 2097, 2449, 3609, 4083
molybdenum . . . . . 2475
molybdenum powder . . . . . 3327
Monte Carlo calculations . . . . . 377, 393, 711
Monte Carlo simulations . . . . . 2399, 3661
Mössbauer diffractometry . . . . . 2621
muon spin rotation spectroscopy . . . . . 3055
multiaxial yielding . . . . . 3783
multiscale modelling, overview of . . . . . 3475
multivoid multicrack system . . . . . 1587

nanocrystalline materials . . . . . 765, 1407, 1495, 1551, 3643
nanoindentation . . . . . 485, 2585, 3609
nanomechanics . . . . . 3475
nanoparticles . . . . . 935, 1045, 1143

nanoscale structures . . . 3065, 3569, 3829, 3847, 3871
nanoscopic filters . . . 3255
nanostructures . . . 3065, 3569, 3829, 3847, 3871
nanostructures, multilayered . . . 457
nanowires, diamond . . . 2301, 2311
$Na_{0.33}V_2O_5$ . . . 659
Nb film . . . 1639
Nb–Mo–O . . . 2343
Nb–O . . . 2343
Nb–Ta–O . . . 2343
$Ni_3Al$ . . . 1827, 3029
NiAl . . . 109
Ni–Al alloys . . . 1111
nickel-based superalloys . . . 1685, 1719, 3005, 3895, 4011
Ni/Cu layers . . . 457
nickel films . . . 3159
Ni–Mn–Ga alloys . . . 3193
Ni–Ti alloys . . . 329, 339
nucleation . . . 1095

O-line method . . . 3093
olivine . . . 401
optical properties . . . 2955
order-disorder transformation . . . 1797
ordering . . . 217
orientation relationships . . . 31, 1867
oxygen generation . . . 2733

packing efficiency, consideration in metallic glass formation . . . 2409
packing efficiency, crystal structures . . . 2293
Pb films . . . 1033
$Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$ crystals . . . 53, 513
PdIn . . . 589
Peierls-Nabarro model . . . 3539
percolation theory . . . 711
percussion drilling of glass . . . 2929
phase-field microelasticity . . . 1587
phase separation, nanoscale . . . 2941
phase transformation . . . 439
phase transformation, kinetics of . . . 2865
phase transformation, stress-induced . . . 53
phase transition . . . 659, 1451
photoemission spectroscopy . . . 1949, 3255
piezoelectric materials . . . 631, 873
plastic deformation . . . 295, 1111
plasticity . . . 245, 1421, 2585, 3133, 3783, 3945
plasticity, high-temperature . . . 93
point-defect concentrations, effect of pressure on . . . 109
point defects . . . 589, 857, 889, 1533, 3577
polarization–depolarization processes . . . 2929
polishing debris . . . 839
polymer thermophoresis . . . 2185
porous sintered glass beads, toughness of . . . 137
porous materials, indentation of . . . 125
porous media . . . 2131, 2209
positron annihilation lifetime spectroscopy . . . 765
precipitate-free zones . . . 4011
precipitates . . . 1867

precipitation . . . . . 31, 677
precipitation crystallography . . . . . 3093
preferred orientation . . . . . 457, 3029, 3225
pressure, effect of . . . . . 109, 401

quasicrystals . . . . . 1, 667, 807, 1059, 1287, 2359, 2449, 3133, 3283
quasilattices . . . . . 3283
quaternary mixed oxides . . . . . 1855
radiation damage . . . . . 61, 151, 955, 1533, 2599, 3599, 3661, 3765
Raman scattering . . . . . 2941
rapid solidification . . . . . 827
RbCl . . . . . 1451
$R_{2-z}Ce_zCuO_4$ (R = rare earth) . . . . . 527
reaction-diffusion . . . . . 3829
relaxation behaviour . . . . . 3193, 3201
relaxation, glass . . . . . 3117
reorientation transition . . . . . 3159
residual stresses . . . . . 2267
residual stresses, effects of . . . . . 985
rotation of crystals, lattice-diffusion-controlled . . . . . 2715

scanning tunnelling microscopy (STM) . . . . . 3255, 3267
segregation, intergranular . . . . . 3995
semiconductors, amorphous zones in . . . . . 2557
semimetals . . . . . 1235
shape memory . . . . . 1797, 2875, 3193
shear stress measurement . . . . . 1761
silicon . . . . . 151, 1191
silicon carbide fibre . . . . . 503
sintering . . . . . 1889, 2693
solidification microstructure . . . . . 2359
solution hardening and softening . . . . . 1329
Soret coefficient, apparent negative . . . . . 2039
Soret coefficient, sign . . . . . 2059
spin disorder . . . . . 1631
$SrRuO_3$ . . . . . 1307
stacking faults . . . . . 1565, 4045, 4103
stainless steel . . . . . 935, 1867
stiffness coefficients . . . . . 503
strengthening mechanisms . . . . . 3623, 3677
strengthening, Re- and Ru-induced . . . . . 1685
stresses, determination of . . . . . 603
stress intensity factors . . . . . 277
superalloys, nickel-based . . . . . 1685, 1719, 3005, 3895, 4011
superconductivity . . . . . 527, 1917, 1949, 2487, 3055, 3247, 3255, 3267
superplasticity . . . . . 2247
surface deformation . . . . . 1205
surface topography . . . . . 2779
synchrotron X-ray diffractometry . . . . . 1

Ta–Cu alloys, anodised . . . . . 2733
texture . . . . . 457, 3029, 3225
thermal activation . . . . . 3047
thermal desorption . . . . . 2475
thermal diffusion . . . . . 2067, 2087, 2097, 2171
thermal shock . . . . . 631
thermodiffusion coefficients, benchmarking of . . . . 1965, 1973, 1989, 2001, 2011, 2017
thermoelectric alloys . . . . . 2865

thermophoresis . . . . . 2185, 2199
thin films . . 603, 693, 1033, 1307, 1463, 1565, 1639, 1929, 3181, 3351, 3753, 3829, 3847
thin films, ultrasoft magnetic . . . . . 2899
thin metal layer, constrained . . . . . 1807
TiAl . . . . . 415, 1347, 1699
Ti–Al alloys . . . . . 3407
Ti alloys, ordering in . . . . . .217
$Ti_2AlNb$ . . . . . 4031
$TiSi_2$ . . . . . 1463
$Ti_6Sn_5$ . . . . . 3169
Ti–Zr–Hf–Ni–Cu–Al alloys . . . . . 2371
topology . . . . . 1393, 1949, 3267
toughness, modelling of . . . . . .137
'training' . . . . . 2875
transition metal compounds . . . . . .775
transition, reorientation . . . . . 3159
transmission electron microscopy (TEM) . . . . 31, 339, 513, 727, 955, 2915, 4011, 4123
transport, hopping . . . . . .901
transport mechanisms . . . . . 3351
transport properties . . . . . 1379
tunnel junctions . . . . . 1255
twin boundaries . . . . . 1479
twinning . . . . . 1463, 3945

$UNi_{2.3}Rh_{1.3}Al$ . . . . . 1613
$UO_2$ . . . . . 1533, 4083
uranium . . . . . 2467

vacancies . . . . . .889
vacancy ordered phases . . . . . .667
$V_2O_5$–MnO–$TeO_2$ glasses . . . . . 1379

WC–Co cermets . . . . . 1175, 2669

X-ray diffraction . . . . . 3225, 3327, 4045
X-ray microtomography . . . . . 2429
X-ray photoelectron spectroscopy . . . . . 1937
X-ray scattering, small-angle . . . . . .677

$YBa_2Cu_3O_{7-x}$ . . . . . .125
$YBa_2Cu_4O_8$ . . . . . 1917

Zeeman effect . . . . . .789
Zener pinning . . . . . 3387
zirconia, cubic . . . . . 2221, 3309
zirconia, yttria-stabilized tetragonal . . . . . 93
Zn–Al alloys . . . . . 2247
Zn–Mg–RE (RE ≡ rare earth) alloys . . . . . 1
$ZnSe_{1-x}S_x$ . . . . . 2641
Zr–Cu–Ni–Al–Y alloys . . . . . 2545
Zr–N alloys . . . . . 31
Zr–Ti–Cu–Ni–Al alloys . . . . . 3463

PHILOSOPHICAL MAGAZINE, 21 DECEMBER 2003
VOL. 83, NO. 36, 4139–4159

Taylor & Francis
Taylor & Francis Group

# INDEX OF AUTHORS
## (WITH TITLES OF PAPERS)

## Vol. 83

Ackland, G. J., see Mendelev, M. I.
Agliozzo, S., see Gastaldi, J.
Ahn, B.-W., see Kim, B.-N.
Aindow, M., see Jiao, H.
Akatsu, T., Saito, K., Tanabe, Y., and Yasuda, E.: Combined mode-I and mode-II fracture of ceramics with crack-face grain and/or whisker bridging . . . 745
Alcala, G., see Mato, S.
Alguerό, M., see Guiu, F.
Allen, D., see Dumoulin, S.
Allen, S. M., see Jin, X.
Alves, S., Demouchy, G., Bee, A., Talbot, D., Bourdon, A., and Figueiredo Neto, A. M.: Investigation of the sign of the Soret coefficient in different ionic and surfacted magnetic colloids using forced Rayleigh scattering and single-beam Z-scan techniques . . . . . 2059
Anderson, P. M., see Mitchell, T. E.
Andreev, A. V., Sechovský, V., Prokeš, K., Homma, Y., Syshchenko, O., Šebek, J., Bartashevich, M. I., Goto, T., Shiokawa, Y., and Jurek, K.: Magnetism in a $UNi_{2-3}Rh_{1-3}Al$ single crystal . . . . . 1613
Appleton, R. S., Swiech, W., Ondrejcek, M., and Flynn, C. P.: Studies of threading dislocations in Nb(011) films . . . . . 1639
Aragon-Fernandez, B., see Estevez-Rams, E.
Archuleta, J. A., see Boehlert, C. J.
Argon, A. S., see Schuh, C. A.
Arsenlis, A., see Robach, J. S.
Ashmawi, W. M., and Zikry, M. A.: Grain-boundary interfaces and void interactions in porous aggregates . . . . . 3917
Asta, M., see Mendelev, M. I.
Aswal, D. K., Singh, A., Thinaharan, C., Yusuf, S. M., Viswanadham, C. S., Goswami, G. L., Gupta, L. C., Gupta, S. K., Yakhmi, J. V., and Sahni, V. C.: In-plane and out-of-plane anisotropic magnetoresistances in $La_{1-x}Pb_xMnO_3$ thin films . . . . . 3181
Awaka, J., see Iijima, Y.

Baba-Kishi, K. Z., see Meng, X.
Bachurin, D. V., and Nazarov, A. A.: On the annealing of junction disclinations in deformed polycrystals . . . . . 2653
Bacon, D. J., see Osetsky, Yu. N.
Baczmański, A., Braham, C., and Seiler, W.: Microstresses in textured polycrystals studied by the multireflection diffraction method and self-consistent model . . . . . 3225
Bahat, D., see Rabinovitch, A.
Baither, D., Krol, T., and Nembach, E.: *In-situ* transmission electron microscopy study of dislocation processes at precipitate-free zones in a $\gamma'$-strengthened superalloy . . . . . 4011

*Philosophical Magazine* ISSN 1478–6435 print ISSN 1478–6443 online © 2003 Taylor & Francis Ltd
http://www.tandf.co.uk/journals

Baker, I., see Wu, D.
Bandyopadhyay, S., Roy, A., Das, D., Ghugre, S. S., and Ghose, J.: Investigation of nanocrystalline $CoFe_2O_4$ by positron annihilation lifetime spectroscopy . . 765
Barnard, A. S., Russo, S. P., and Snook, I. K.: *Ab initio* modelling of band states in doped diamond . . . . . 1163
Barnard, A. S., Russo, S. P., and Snook, I. K.: *Ab initio* modelling of boron and nitrogen in diamond nanowires . . . . . 2301
Barnard, A. S., Russo, S. P., and Snook, I. K.: *Ab initio* modelling of dopants in diamond nanowires: II . . . . . 2311
Baró, M. D., see Sort, J.
Bartashevich, M. I., see Andreev, A. V.
Barthélémy, A., see Maurice, J.-L.
Baruchel, J., see Gastaldi, J.
Baskes, M. I., see Mitchell, T. E.
Bastie, P., see Jacques, A.
Basu, J., Nagendra, N., Li, Y., and Ramamurty, U.: Microstructure and mechanical properties of a partially crystallized La-based bulk metallic glass . . . . 1747
Beauchamp, P., see Pizzagalli, L.
Bedell, K. S., see Farinas, P. F.
Bedell, K. S., see Jackiewicz, J. A.
Bee, A., see Alves, S.
Beke, D. L., see Bernardini, J.
Beke, D. L., see Erdélyi, G.
Beleggia, M., and Zhu, Y.: Electron-optical phase shift of magnetic nanoparticles I. Basic concepts . . . . . 1045
Beleggia, M., Zhu, Y., Tandon, S., and De Graef, M.: Electron-optical phase shift of magnetic nanoparticles II. Polyhedral particles . . . . . 1143
Belova, I. V., and Murch, G. E.: Computer simulation of solute-enhanced diffusion kinetics in dilute fcc alloys . . . . . 377
Belova, I. V., and Murch, G. E.: Correlated tracer diffusion in an ordered interface structure . . . . . 2399
Belova, I. V., and Murch, G. E.: Solvent diffusion kinetics in the dilute random alloy 393
Belova, I. V., see Brown, M. J.
Bendersky, L. A., see Lu, C. J.
Berlev, A. E., see Ohta, M.
Bernardini, J., Lexcellent, C., Daróczi, L., and Beke, D. L.: Ni diffusion in near-equiatomic Ni–Ti and Ni–Ti(–Cu) alloys . . . . . 329
Beyerlein, I. J., see Rangaswamy, P.
Bhatia, M. L.: On the packing of $AuCu_3$ and $Cu_2Mg$ structures . . . . . 2293
Bian, X. F., see Zhang, Z. H.
Biermann, H., see Lu, Z.
Biner, S. B., and Morris, J. R.: The effects of grain size and dislocation source density on the strengthening behaviour of polycrystals: a two-dimensional discrete dislocation simulation . . . . . 3677
Blagoev, K. B., see Jackiewicz, J. A.
Bley, F., see Deschamps, A.
Bloomfield, M. O., Richards, D. F., and Cale, T. S.: A computational framework for modelling grain-structure evolution in three dimensions . . . . . 3549
Boehlert, C. J., Farr, J. D., Schulze, R. K., Pereyra, R. A., and Archuleta, J. A.: Initial electron back-scattered diffraction observations of cerium . . . . 1735
Boerma, D. O., see Chechenin, N. G.
Bono, D., see Jin, X.
Boolchand, P., see Georgiev, D. G.
Bopp, P. A., see Colombani, J.
Bor, T. C., Huisman, M. C., Kamminga, J.-D., Delhez, R., and Mittemeijer, E. J.: Analysis of ball-milled Mo powder using X-ray diffraction . . . . . 3327
Borchardt, G., see Kilo, M.
Bossuyt, S., see Löffler, J. F.

Botchkarev, A. E., see Polyakov, A. Y.
Böttger, A. J., see Pekelharing, M. I.
Bou-Ali, M. M., see Platten, J. K.
Bou-Ali, M. M., Valencia, J. J., Madariaga, J. A., Santamaría, C., Ecenarro, O., and Dutrieux, J. F.: Determination of the thermodiffusion coefficient in three binary organic liquid mixtures by the thermogravitational method (contribution of the Universidad del País Vasco, Bilbao, to the benchmark test) . . . . . 2011
Bourdon, A., see Alves, S.
Bourke, M. A. M., see Rangaswamy, P.
Braham, C., see Baczmański, A.
Brandow, B. H.: Strongly anisotropic s-wave gaps in exotic superconductors . . 2487
Bresson, L., see Mompiou, F.
Brown, L. M., see van Bouwelen, F. M.
Brown, M. J., Belova, I. V., and Murch, G. E.: Prediction of kinetic demixing in a quaternary mixed oxide (A, B, C)O in an oxygen potential gradient . . . 1855
Bublik, V. T., see Polyakov, A. Y.
Buffière, J.-Y., see Toda, H.
Bulatob, V. V., see Cai, W.
Bulatov, V. V., see Lu, G.
Bullough, R., see Movchan, A. B.
Burton, B.: Lattice-diffusion-controlled rotation of crystals about a common interface . . . . . 2715
Bussmann-Holder, A.: Possible electron–phonon interaction-driven microscopic origin of the phase transitions in β-$Na_{0.33}V_2O_5$ and analogues. . . . . 659
Busso, E. P., see Dumoulin, S.
Busso, E. P., see Ghoniem, N. M.

Cai, W., Bulatob, V. V., Chang, J., Li, J., and Yip, S.: Periodic image effects in dislocation modelling . . . . . 539
Caillard, D., see Mompiou, F.
Cairney, J. M., Rong, T. S., Jones, I. P., and Smallman, R. E.: Intermediate temperature creep mechanisms in $Ni_3Al$ . . . . . 1827
Calderon, H. A., see Couret, A.
Cale, T. S., see Bloomfield, M. O.
Caltagirone, J.-P., see Colombani, J.
Caltagirone, J.-P., see Galliéro, G.
Caltagirone, J.-P., see Wilbois, B.
Canfield, P. C., see Wills, A. S.
Cantor, B., see Kim, K. B.
Castillo, M., Velasco, C., and Stashans, A.: The H atom in $CaTiO_3$: structure and electronic properties . . . . . 1845
Cerbino, R., Vailati, A., and Giglio, M.: Fast-onset Soret-driven convection in a colloidal suspension heated from above. . . . . 2023
Chacha, M., Saghir, M. Z., Van Vaerenbergh, S., and Legros, J. C.: Influence of thermal boundary conditions on the double-diffusive process in a binary mixture . . . . . 2109
Chan, H. L., see Meng, X.
Chang, J., see Cai, W.
Chang, K., see Lu, C. J.
Chang, Y. A., see Huang, M.
Chatterjee, P., and Sen Gupta, S. P.: Evolution of dislocation substructure in vapour-deposited lead films on glass substrates. . . . . 1033
Chaudhri, M. M., see Lim, Y. Y.
Chaudhuri, B. K., see Pal, M.
Chavepeyer, G., see Dutrieux, J.-F.
Chechenin, N. G., De Hosson, J. Th. M., and Boerma, D. O.: Effects of topography on the local variation in the magnetization of ultrasoft magnetic films: a Lorentz microscopy study. . . . . 2899

Chen, K., Zhao, L. R., and Tse, J. S.: Atomic mechanism of the Re and Ru strengthening effect on the $\gamma$–$\gamma'$ interface of Ni-based single-crystal superalloys: a first-principles study . . . . . 1685
Chen, N., see Zhang, S.
Chen, S. P., see Mitchell, T. E.
Chen, Y., see Plaza, J. L.
Cherkaoui, M.: Constitutive equations for twinning and slip in low-stacking-fault-energy metals: a crystal plasticity-type model for moderate strains . . . 3945
Chikazawa, S., see Iijima, Y.
Chiu, Y.-L., and Veyssière, P.: Kear–Wilsdorf locks and the generation of antiphase-boundary tubes in $L1_2$ alloys . . . . . 179
Chiu, Y.-L., Grégori, F., Nakano, T., Umakoshi, Y., and Veyssière, P.: The nucleation of faulted dipoles at intersection jogs in $\gamma$-TiAl . . . . . 1347
Choy, C. L., see Meng, X.
Chu, V., see Godet, C.
Clavaguera, N., see Suñol, J. J.
Clavaguera-Mora, M. T., see Suñol, J. J.
Cockroft, J. K., see Troć, R.
Colombani, J., Galliéro, G., Duguay, B., Caltagirone, J.-P., Montel, F., and Bopp, P. A.: Molecular dynamics study of thermal diffusion in a binary mixture of alkanes trapped in a slit pore . . . . . 2087
Condó, A. M., Lovey, F. C., and Torra, V.: Interaction of twin boundaries with stacking faults in 2H martensite: a high-resolution electron microscopy study 1479
Connolley, T., see Toda, H.
Contour, J.-P., see Maurice, J.-L.
Cordier, P., see Mompiou, F.
Costesèque, P., and Loubet, J.-C.: Measuring the Soret coefficient of binary hydrocarbon mixtures in packed thermogravitational columns (contribution of Toulouse University to the benchmark test) . . . . . 2017
Costesèque, P., Gaillard, S., Gachet, Y., and Jamet, Ph.: Determination of the apparent negative Soret coefficient of water–10% alcohol solutions by experimental and numerical methods in packed cells . . . . . 2039
Costesèque, P., see Platten, J. K.
Couret, A., Calderon, H. A., and Veyssière, P.: Intralamellar dislocation networks formed by glide in $\gamma$-TiAl I. The mechanism of formation . . . . . 1699
Couturier, G., Maurice, C., and Fortunier, R.: Three-dimensional finite-element simulation of Zener pinning dynamics . . . . . 3387
Cowling, M. J., see Kerr, A.
Cox, S. J., and Graner, F.: Large two-dimensional clusters of equal-area bubbles: the influence of the boundary in determining the minimum-energy configuration . 2573
Cox, S. J., Graner, F., Vaz, M. F., Monnereau-Pittet, C., and Pittet, N.: Minimal perimeter for $N$ identical bubbles in two dimensions: calculations and simulations . . . . . 1393
Czopnik, A., see Troć, R.

Dao, M., see Takagi, H.
Daróczi, L., see Bernardini, J.
Das, D., see Bandyopadhyay, S.
David, L., see Deschamps, A.
Davies, A. R., Field, J. E., and Pickles, C. S. J.: Strength of free-standing chemically vapour-deposited diamond measured by a range of techniques . . . . 4059
Daw, M. S., see Srinivasan, R.
de Boissieu, A. M., see Gastaldi, J.
De Graef, M., see Beleggia, M.
Dehm, G., see Schwaiger, R.
De Hosson, J. Th. M., see Chechenin, N. G.
De Hosson, J. Th. M., see Mogck, S.
Delaye, J.-M., see Morelon, N.-D.

Delaye, J.-M., see Van Brutzel, L.
Delhez, R., see Bor, T. C.
Demouchy, G., see Alves, S.
Demura, M., see Kishida, K.
Derlet, P. M., see Samaras, M.
Derlet, P. M., Van Swygenhoven, H., and Hasnaoui, A.: Atomistic simulation of dislocation emission in nanosized grain boundaries . . . . . 3569
Deschamps, A., Bley, F., Livet, F., Fabregue, D., and David, L.: *In-situ* small-angle X-ray scattering study of dynamic precipitation in an Al–Zn–Mg–Cu alloy . 677
Detlefs, C., see Wills, A. S.
Ding, Y., see Liang, D. D.
Dlouhy, A., Khalil-Allafi, J., and Eggeler, G.: Multiple-step martensitic transformations in Ni-rich NiTi alloys—an *in-situ* transmission electron microscopy investigation . . . . . 339
Dłużewski, P., see Kret, S.
Dobeš, F., see Orlová, A.
Döblinger, M., Wittmann, R., Gerthsen, D., and Grushko, B.: Intermediate stages of a transformation between a quasicrystal and an approximant including nanodomain structures in the Al–Ni–Co system . . . . . 1059
Domínguez-Rodríguez, A., see Gómez-García, D.
Dow, J. D., and Lehmann, M.: Occurrence of superconductivity in $R_{2-z}Ce_zCuO_4$ and related compounds . . . . . 527
Dow, J. D., see Harshman, D. R.
Drymiotis, F., Lashley, J. C., Fisk, Z., Peterson, E., and Nakatsuji, S.: Physical properties of the $\beta$-$Ti_6Sn_5$ system . . . . . 3169
Dudarev, S. L.: Coherent motion of interstitial defects in a crystalline material . 3577
Duguay, B., see Colombani, J.
Duguay, B., see Galliéro, G.
Dumoulin, S., Busso, E. P., O'Dowd, N. P., and Allen, D.: A multiscale approach for coupled phenomena in fcc materials at high temperatures . . . . . 3895
du Plessis, P. de V., see Troć, R.
Durand, O., see Maurice, J.-L.
Dutrieux, J. F., see Bou-Ali, M. M.
Dutrieux, J. F., see Platten, J. K.
Dutrieux, J.-F., Chavepeyer, G., Marcoux, M., and Massoutier, M.: Onset of Rayleigh–Bénard convection in a ternary liquid system and the Onsager law with generalized thermal diffusion . . . . . 2033

Ebisu, S., see Iijima, Y.
Ebrahimi, F., Liscano, A. J., Kong, D., and Krishnamoorthy, V.: Evolution of texture in electrodeposited Ni/Cu layered nanostructures . . . . . 457
Ecenarro, O., see Bou-Ali, M. M.
Eckert, J., see Schurack, F.
Eggeler, G., see Dlouhy, A.
El-Azab, A., and Liang, Y.: Nanoscale copper oxide ring structure on an $SrTiO_3$ substrate . . . . . 3847
Eliezer, D., see Wang, R. M.
Erdélyi, G., Guthy, Cs., and Beke, D. L.: Point-defect concentrations in B2 NiAl alloys under pressure . . . . . 109
Estevez-Rams, E., Leoni, M., Scardi, P., Aragon-Fernandez, B., and Fuess, H.: On the powder diffraction pattern of crystals with stacking faults . . . . . 4045

Fabregue, D., see Deschamps, A.
Fargue, D., see Gaillard, S.
Farid, B.: The non-Fermi-liquid nature of the metallic states of the Hubbard Hamiltonian . . . . . 2829
Farinas, P. F., and Bedell, K. S.: Orbital Zeeman effect: signature of charge in the carriers of ferromagnetism . . . . . 789

Farr, J. D., see Boehlert, C. J.
Feuchtwanger, J., see Jin, X.
Feuerbacher, M., see Klein, H.
Field, J. E., see Davies, A. R.
Field, J. E., see van Bouwelen, F. M.
Figueiredo Neto, A. M., see Alves, S.
Fischer, F. D., Svoboda, J., and Fratzl, P.: A thermodynamic approach to grain growth and coarsening . . . . . 1075
Fisher, I. R., see Gastaldi, J.
Fisk, Z., see Drymiotis, F.
Fivel, M. C., see Shin, C. S.
Fleurov, V., see Molotskii, M.
Flynn, C. P., see Appleton, R. S.
Forest, S., and Sedláček, R.: Plastic slip distribution in two-phase laminate microstructures: dislocation-based versus generalized-continuum approaches . 245
Fortunier, R., see Couturier, G.
Fratzl, P., see Fischer, F. D.
Frederiksen, S. L., and Jacobsen, K. W.: Density functional theory studies of screw dislocation core structures in bcc metals . . . . . 365
Friák, M., Šob, M., and Vitek, V.: *Ab initio* calculation of tensile strength in iron . . . . . 3529
Frid, V., see Rabinovitch, A.
Fuess, H., see Estevez-Rams, E.
Fujiwara, M., see Takagi, H.
Fultz, B., see Lin, J. Y. Y.

Gachet, Y., see Costesèque, P.
Gaillard, S., Fargue, D., and Jamet, Ph.: Analytical and numerical exploration of oscillatory convection in porous media . . . . . 2131
Gaillard, S., see Costesèque, P.
Gallego, S., see Hammerling, R.
Galliéro, G., Duguay, B., Caltagirone, J.-P., and Montel, F.: On thermal diffusion in binary and ternary Lennard-Jones mixtures by non-equilibrium molecular dynamics . . . . . 2097
Galliéro, G., see Colombani, J.
Galliéro, G., see Wilbois, B.
Gastaldi, J., Agliozzo, S., Létoublon, A., Wang, J., Mancini, L., Klein, H., Härtwig, J., Baruchel, J., Fisher, I. R., Sato, T., Tsai, A. P., and de Boissieu, A. M.: Degree of structural perfection of icosahedral quasicrystalline grains investigated by synchrotron X-ray diffractometry and imaging techniques . 1
Georgiev, D. G., Boolchand, P., and Jackson, K. A.: Intrinsic nanoscale phase separation of bulk $As_2S_3$ glass . . . . . 2941
Gerthsen, D., see Döblinger, M.
Ghaleb, D., see Morelon, N.-D.
Ghaleb, D., see Van Brutzel, L.
Ghoniem, N. M., Busso, E. P., and Huang, H.: Preface . . . . . 3473
Ghoniem, N. M., Busso, E. P., Kioussis, N., and Huang, H.: Multiscale modelling of nanomechanics and micromechanics: an overview . . . . . 3475
Ghoniem, N. M., see Han, X.
Ghose, J., see Bandyopadhyay, S.
Ghugre, S. S., see Bandyopadhyay, S.
Giglio, M., see Cerbino, R.
Godet, C., Kumar, S., and Chu, V.: Field-enhanced electrical transport mechanisms in amorphous carbon films . . . . . 3351
Goldbaum, J., see Rabinovitch, A.
Golubov, S. I., see Osetsky, Yu. N.
Gómez-García, D., Lorenzo-Martín, C., Muñoz-Bernabé, A., and Domínguez-Rodríguez, A.: Correlation between yttrium segregation at the grain

boundaries and the threshold stress for plasticity in yttria-stabilized tetragonal zirconia polycrystals . . . . . 93
González, M. A., see Rodríguez de la Fuente, O.
Gonzalez-Bagnoli, M. G., Shapiro, A. A., and Stenby, E. H.: Evaluation of the thermodynamic models for the thermal diffusion factor . . . . . 2171
Goswami, G. L., see Aswal, D. K.
Goto, T., see Andreev, A. V.
Govorkov, A. V., see Polyakov, A. Y.
Graham, M. J., see Mato, S.
Graner, F., see Cox, S. J.
Greer, A. J., see Harshman, D. R.
Grégori, F., see Chiu, Y.-L.
Gregson, P., see Toda, H.
Griffin, J. A., see Polyakov, A. Y.
Gross, R., see Ramachandra Rao, M. S.
Grushko, B., see Döblinger, M.
Guiu, F., Algueró, M., and Reece, M. J.: Crack extension force and rate of mechanical work of fracture in linear dielectrics and piezoelectrics . . . 873
Gupta, L. C., see Aswal, D. K.
Gupta, S. K., see Aswal, D. K.
Guthy, Cs., see Erdélyi, G.

Habazaki, H., see Mato, S.
Hackenberg, R. E., and Shiflet, G. J.: The influence of morphology on grain-boundary and twin-boundary bainite growth kinetics at the bay in Fe–C–Mo. . . . . 3367
Hamar-Thibault, S., see Lay, S.
Hammerling, R., Zabloudil, J., and Gallego, S.: On the reorientation transition in Cu(100)/$Ni_n$/H . . . . . 3159
Han, S., see Mendelev, M. I.
Han, X. J., and Wei, B.: Thermophysical properties of undercooled liquid Co–Mo alloys . . . . . 1511
Han, X., Ghoniem, N. M., and Wang, Z.: Parametric dislocation dynamics of anisotropic crystals . . . . . 3705
Han, X., see Mao, S. X.
Hanada, S., see Miura, E.
Hansen, N., see Hughes, D. A.
Haq, S., see Zeze, D. A.
Harris, S. J., see Zeze, D. A.
Harshman, D. R., Dow, J. D., Kossler, W. J., Noakes, D. R., Stronach, C. E., Greer, A. J., Koster, E., Ren, Z. F., and Wang, D. Z.: Muon spin rotation in $GdSr_2Cu_2RuO_8$: implications . . . . . 3055
Hartley, C. S.: A method for linking thermally activated dislocation mechanisms of yielding with continuum plasticity theory . . . . . 3783
Härtwig, J., see Gastaldi, J.
Hashimoto, T., see Inui, H.
Hasnaoui, A., see Derlet, P. M.
He, Z., and Ma, J.: Constitutive modelling of the densification of micron-grain-sized alumina ceramics. . . . . 1889
Heinisch, H. L., and Singh, B. N.: Kinetic Monte Carlo simulations of void lattice formation during irradiation. . . . . 3661
Henry, C., see Jin, X.
Hermida, É. B., and Melo, D. G.: Shear stress at the interface of coaxial composites determined by the resonance of low-amplitude vibrations . . . . . 1761
Higo, Y., see Inamura, T.
Hill, G., see Murray, R. T.
Hiraga, K., see Kim, B.-N.
Hirano, T., see Kishida, K.

Hirao, M., see Ogi, H.
Hirsch, P. B.: Kear–Wilsdorf locks and the formation of antiphase-boundary tubes in $L1_2$ alloys . . . . . 1007
Hoagland, R. G., see Mitchell, T. E.
Höche, T., Olhe, P., Keding, R., Rüssel, C., van Aken, P. A., Schneider, R., Kleebe, H.-J., Wang, X., Jacobson, A. J., and Stemmer, S.: Synthesis and characterization of mixed-valence barium titanates . . . . . 165
Hollar, E. P., see Jenčič, I.
Homma, Y., see Andreev, A. V.
Hopkinson, M., see Murray, R. T.
Hoshino, M., see Watanabe, S.
Howe, J. M., see Sharma, S. S.
Hriljac, J. A., see Sarosi, P. M.
Hu, Q. M., Xu, D. S., Yang, R., Li, D., and Wu, W. T.: First-principles investigations of ordering in binary $\alpha$-Ti solid solutions . . . . . 217
Huang, H., see Ghoniem, N. M.
Huang, H., see Liang, H. Y.
Huang, J. Y., Liao, X. Z., Zhu, Y. T., Zhou, F., and Lavernia, E. J.: Grain boundary structure of nanocrystalline Cu processed by cryomilling . . . . . 1407
Huang, J. Y., see Liao, X. Z.
Huang, M., Oates, W. A., and Chang, Y. A.: Thermodynamics and point defects in the B2 intermetallic phase PdIn . . . . . 589
Huang, X., see Wert, J. A.
Hughes, D. A., and Hansen, N.: Deformation structures developing on fine scales 3871
Huisman, M. C., see Bor, T. C.
Hutzler, S., see Weaire, D.

Ichitsubo, T., see Ogi, H.
Iijima, Y., Kamei, Y., Kobayashi, N., Awaka, J., Iwasa, T., Ebisu, S., Chikazawa, S., and Nagata, S.: A new ferromagnetic thiospinel $CuCrZrS_4$ with re-entrant spin-glass behaviour . . . . . 2521
Iijima, Y., see Nakamura, R.
Ikuhara, Y., see Matsunaga, K.
Ikuhara, Y., see Shibata, N.
Imhoff, D., see Maurice, J.-L.
Inamura, T., Takashima, K., and Higo, Y.: Crystallography of nanometre-sized $\alpha'$-martensite formed at intersections of mechanical $\gamma$-twins in an austenitic stainless steel . . . . . 935
Inoue, A., see Louzguine, D. V.
Inui, H., Okamoto, N. L., Hashimoto, T., Tanaka, K., and Yamaguchi, M.: $\{101\}\langle 10\bar{1}\rangle$ twins in Mo-doped $TiSi_2$ thin films with the C54 structure . . 1463
Iwasa, T., see Iijima, Y.

Jacke, S., see Plaza, J. L.
Jackiewicz, J. A., Blagoev, K. B., and Bedell, K. S.: A model for coexistent superconductivity and ferromagnetism . . . . . 3247
Jackson, K. A., see Georgiev, D. G.
Jackson, R. A., see Kilo, M.
Jacobsen, K. W., see Frederiksen, S. L.
Jacobson, A. J., see Höche, T.
Jacques, A., and Bastie, P.: The evolution of the lattice parameter mismatch of a nickel-based superalloy during a high-temperature creep test . . . . . 3005
Jamet, Ph., see Costesèque, P.
Jamet, Ph., see Gaillard, S.
Janca, J.: Micro-thermal field-flow fractionation: new challenge in experimental studies of thermal diffusion of polymers and colloidal particles . . . . 2045
Jenčič, I., Hollar, E. P., and Robertson, I. M.: Crystallization of isolated amorphous zones in semiconductors . . . . . 2557

Jiao, H., Aindow, M., and Pond, R. C.: Precipitate orientation relationships and interfacial structures in duplex stainless steel Zeron-100 . . . . . 1867
Jin, X., Bono, D., Henry, C., Feuchtwanger, J., Allen, S. M., and O'Handley, R. C.: Relaxation in Ni–Mn–Ga ferromagnetic shape memory alloys. . . . . 3193
Jin, Y. M., Wang, Y. U., and Khachaturyan, A. G.: Three-dimensional phase field microelasticity theory of a multivoid multicrack system in an elastically anisotropic body: model and computer simulations . . . . . 1587
Johari, G. P., see Nemilov, S. V.
Johnson, W. L., see Löffler, J. F.
Johnstone, D. K., see Polyakov, A. Y.
Jones, I. P., see Cairney, J. M.
Jones, I. P., see Sarosi, P. M.
Jørgensen, J.-E., see Kareiva, A.
Joyce, M., see Toda, H.
Juel, M., and Raaen, S.: Thermal desorption of carbon monoxide from Mo(110) . . . . . 2475
Jung, H., see Karato, S.
Jurek, K., see Andreev, A. V.

Kai, S., see Ogi, H.
Kajiwara, S., see Liu, D. Z.
Kamei, Y., see Iijima, Y.
Kamiyama, S., see Shliomis, M. I.
Kamminga, J.-D., see Bor, T. C.
Karato, S., and Jung, H.: Effects of pressure on high-temperature dislocation creep in olivine . . . . . 401
Kareiva, A., Mathur, S., Jørgensen, J.-E., and Tautkus, S.: Effect of strontium substitution on superconductivity in $YBa_2Cu_4O_8$ . . . . . 1917
Keding, R., see Höche, T.
Kern, N., and Weaire, D.: Approaching the dry limit in foam . . . . . 2973
Kerr, A., and Cowling, M. J.: The effects of surface topography on the accumulation of biofouling . . . . . 2779
Khachaturyan, A. G., see Jin, Y. M.
Khalil-Allafi, J., see Dlouhy, A.
Khonik, V. A., see Ohta, M.
Khor, K. H., see Toda, H.
Kikuchi, T., see Liu, D. Z.
Kilo, M., Jackson, R. A., and Borchardt, G.: Computer modelling of ion migration in zirconia . . . . . 3309
Kim, B.-N., Morita, K., Hiraga, K., and Ahn, B.-W.: Grain-boundary sliding in elongated microstructures during diffusion creep . . . . . 1675
Kim, D. H., see Ok, J. B.
Kim, I. J., see Ok, J. B.
Kim, K. B., Zhang, Y., Warren, P. J., and Cantor, B.: Crystallization behaviour in a new multicomponent $Ti_{16.6}Zr_{16.6}Hf_{16.6}Ni_{20}Cu_{20}Al_{10}$ metallic glass developed by the equiatomic substitution technique . . . . . 2371
Kim, W. T., see Ok, J. B.
Kimura, Y., see Yamasaki, J.
Kioussis, N., see Ghoniem, N. M.
Kioussis, N., see Lu, G.
Kishida, K., Demura, M., Suga, Y., and Hirano, T.: Orientation dependence of texture evolution in cold-rolled $Ni_3Al$ single crystals . . . . . 3029
Kitagawa, K., see Ohta, M.
Kleebe, H.-J., see Höche, T.
Klein, H., and Feuerbacher, M.: Structure of dislocations and stacking faults in the complex intermetallic $\xi'$-(Al–Pd–Mn) phase . . . . . 4103
Klein, H., see Gastaldi, J.
Kobayashi, N., see Iijima, Y.

Koguchi, H.: Surface deformation induced by a variation in surface stresses in anisotropic half-regions . . . . . 1205
Köhler, W., see Platten, J. K.
Köhler, W., see Wittko, G.
Koike, T., see Watanabe, S.
Kong, D., see Ebrahimi, F.
Kooi, B. J., see Mogck, S.
Kossler, W. J., see Harshman, D. R.
Koster, E., see Harshman, D. R.
Kraft, O., see Schwaiger, R.
Krämer, S., see Lu, Z.
Kratochvíl, J., see Sedláček, R.
Kret, S., Dłużewski, P., Dłużewski, P., and Laval, J.-Y.: On the measurement of dislocation core distributions in a GaAs/ZnTe/CdTe heterostructure by high-resolution transmission electron microscopy . . . . . 231
Krishnamoorthy, V., see Ebrahimi, F.
Krol, T., see Baither, D.
Kumai, S., see Yamamoto, K.
Kumar, M., see Schuh, C. A.
Kumar, S., see Godet, C.
Kuribayashi, K., see Li, M.

Lam, N. Q., see Watanabe, S.
Largeau, L., Patriarche, G., Le Bourhis, E., Rivière, A., and Rivière, J. P.: Indentation-induced deformations of GaAs(011) at a high temperature . . 1653
Lashley, J. C., see Drymiotis, F.
Laval, J.-Y., see Kret, S.
Lavernia, E. J., see Huang, J. Y.
Lavernia, E. J., see Liao, X. Z.
Lay, S., and Loubradou, M.: Characteristics and origin of clusters in submicron WC–Co cermets . . . . . 2669
Lay, S., Thibault, J., and Hamar-Thibault, S.: Structure and role of the interfacial layers in VC-rich WC–Co cermets . . . . . 1175
Le Bourhis, E., see Largeau, L.
Lee, W., and Shin, H.: Effect of in-plane residual stresses on the post-deflection behaviour of a T-shaped deflected crack in layered systems . . . . . 985
Legros, J. C., see Chacha, M.
Lehmann, M., see Dow, J. D.
Lei, C. H., see Liang, D. D.
Leoni, M., see Estevez-Rams, E.
Leoni, M., see Welzel, U.
Leppla, C., and Wiegand, S.: Investigation of the Soret effect in binary liquid mixtures by thermal-diffusion-forced Rayleigh scattering (contribution to the benchmark test) . . . . . 1989
Leppla, C., see Platten, J. K.
LeSar, R., and Rickman, J. M.: Coarse-grained descriptions of dislocation behaviour 3809
Létoublon, A., see Gastaldi, J.
Levy, P. M., see Wang, K.
Lexcellent, C., see Bernardini, J.
Li, D., see Hu, Q. M.
Li, J., see Cai, W.
Li, J. F., see Viehland, D.
Li, M., Nagashio, K., and Kuribayashi, K.: Nucleation behaviour and anomalous eutectic formation in highly undercooled $Fe_2O_3$–$La_2O_3$ eutectic melts . . . . . 1095
Li, Y., see Basu, J.
Liang, D. D., Lei, C. H., Xu, Q. Y., and Ding, Y.: Transmission electron microscopy investigation of domains and boundaries in bulk $La_{2/3}Ca_{1/3}MnO_3$ . . . 2915

Liang, H. Y., Woo, C. H., Huang, H., Ngan, A. H. W., and Yu, T. X.: Dislocation nucleation in the initial stage during nanoindentation . . . . . 3609
Liang, Y., see El-Azab, A.
Liao, X. Z., Huang, J. Y., Zhu, Y. T., Zhou, F., and Lavernia, E. J.: Nanostructures and deformation mechanisms in a cryogenically ball-milled Al–Mg alloy . . 3065
Liao, X. Z., see Huang, J. Y.
Lim, Y. Y., and Chaudhri, M. M.: Experimental investigations of the normal loading of elastic spherical and conical indenters on to elastic flats. . . . . 3427
Lin, J. Y. Y., and Fultz, B.: Site-specific long-range order in $^{57}Fe_3Al$ measured by Mössbauer diffractometry . . . . . 2621
Liscano, A. J., see Ebrahimi, F.
Liu, D. Z., Kajiwara, S., Kikuchi, T., and Shinya, N.: Atomic force microscopy study on microstructural changes by 'training' in Fe–Mn–Si-based shape memory alloys . . . . . 2875
Livet, F., see Deschamps, A.
Löffler, J. F., Bossuyt, S., Peker, A., and Johnson, W. L.: Eutectic isolation in Mg–Al–Cu–Li(–Y) alloys by centrifugal processing . . . . . 2797
Lord, E. A.: Indexing schemes for quasilattices . . . . . 3283
Lorenzo-Martin, C., see Gómez-García, D.
Loubet, J.-C., see Costesèque, P.
Loubradou, M., see Lay, S.
Louzguina, L. V., see Louzguine, D. V.
Louzguine, D. V., Louzguina, L. V., and Inoue, A.: Multistage devitrification of Mg–Ni–Mm and Mg–Ni–Y–Mm metallic glasses (Mm = misch metal) . . 203
Louzguine, D. V., Yavari, A. R., and Inoue, A.: Devitrification behaviour of Cu–Zr–Ti–Pd bulk glassy alloys. . . . . 2989
Lovey, F. C., see Condó, A. M.
Lu, C. J., Bendersky, L. A., Chang, K., and Takeuchi, I.: High-resolution identification of $\frac{1}{2}\langle 110\rangle$ stacking faults in epitaxial $Ba_{0.3}Sr_{0.7}TiO_3$ thin films . 1565
Lu, G., Bulatov, V. V., and Kioussis, N.: A nonplanar Peierls–Nabarro model and its application to dislocation cross-slip . . . . . 3539
Lü, L., see Zhu, T. J.
Lu, Z., Pyczak, F., Krämer, S., Biermann, H., and Mughrabi, H.: Fast and reliable evaluation of lattice distortions from convergent-beam electron diffraction patterns . . . . . 2383
Lubarda, V. A., and Markenscoff, X.: On conservation integrals in micropolar elasticity . . . . . 1365
Lund, A. C., and Voorhees, P. W.: A quantitative assessment of the three-dimensional microstructure of a $\gamma$–$\gamma'$ alloy . . . . . 1719
Luo, H. S., see Meng, X.
Lyonnet, R., see Maurice, J.-L.

Ma, J., see He, Z.
Ma, X. L.: Oriented domains in a thin film of $La_{0.8}Sr_{0.2}MnO_3$—Reply to the comment by Dr I. MacLaren . . . . . 933
MacLaren, I.: Comment on 'Oriented domains in a thin film of $La_{0.8}Sr_{0.2}MnO_3$ prepared by laser molecular-beam epitaxy' by X. L. Ma, Y. L. Zhu, X. M. Meng, H. B. Lu, F. Chen, Z. H. Chen, G. Z. Yang and Z. Zhang . . . 929
Madariaga, J. A., see Bou-Ali, M. M.
Magnin, T., see Tanguy, D.
Mai, Y.-W., see Wang, B. L.
Maire, E., see Toda, H.
Mancini, L., see Gastaldi, J.
Manley, M. E.: Thermodynamics of phonon-stabilized Fermi distributions with application to uranium . . . . . 2467
Mao, S. X., Han, X., and Wiezorek, J. M.: Fracture and cavitation in a constrained thin metal layer under a scale effect in layered materials . . . . . 1807
Mao, S. X., see Ru, C. Q.

Marcoux, M., see Dutrieux, J.-F.
Markenscoff, X., see Lubarda, V. A.
Markenscoff, X., see Ni, L.
Masheder, D., see Mato, S.
Massoutier, M., see Dutrieux, J.-F.
Mathur, S., see Kareiva, A.
Mato, S., Alcala, G., Skeldon, P., Thompson, G. E., Quance, T., Graham, M. J., Habazaki, H., Shimizu, K., and Masheder, D.: Oxygen generation in anodized Ta–Cu alloys . . . . . 2733
Matsunaga, K., Nishimura, H., Saito, T., Yamamoto, T., and Ikuhara, Y.: High-resolution transmission electron microscopy and computational analyses of atomic structures of [0001] symmetric tilt grain boundaries of $Al_2O_3$ with equivalent grain-boundary planes . . . . . 4071
Maung, N., see Wright, A. C.
Maurice, C., see Couturier, G.
Maurice, J.-L., Pailloux, F., Barthélémy, A., Durand, O., Imhoff, D., Lyonnet, R., Rocher, A., and Contour, J.-P.: Strain relaxation in the epitaxy of $La_{2/3}Sr_{1/3}MnO_3$ grown by pulsed-laser deposition on $SrTiO_3(001)$. . . . 3201
McCabe, R. J., Misra, A., and Mitchell, T. E.: Transmission electron microscopy study of the interaction between a glide dislocation and a dislocation node . 4123
McMeeking, R. M., see Redanz, P.
Melo, D. G., see Hermida, É. B.
Mendelev, M. I., Han, S., Srolovitz, D. J., Ackland, G. J., Sun, D. Y., and Asta, M.: Development of new interatomic potentials appropriate for crystalline and liquid iron . . . . . 3977
Meng, X., Baba-Kishi, K. Z., Pang, G. K. H., Chan, H. L., Choy, C. L., and Luo, H. S.: Investigation of domain behaviour in $0.7Pb(Mg_{1/3}Nb_{2/3})O_3$–$0.3PbTiO_3$ single crystals at different temperatures in the transmission electron microscope 513
Mills, M. J., see Srinivasan, R.
Minich, R. W., see Schuh, C. A.
Miracle, D. B., Sanders, W. S., and Senkov, O. N.: The influence of efficient atomic packing on the constitution of metallic glasses . . . . . 2409
Misra, A., see McCabe, R. J.
Misra, A., see Mitchell, T. E.
Mitchell, T. E., Anderson, P. M., Baskes, M. I., Chen, S. P., Hoagland, R. G., and Misra, A.: Nucleation of kink pairs on partial dislocations: a new model for solution hardening and softening . . . . . 1329
Mitchell, T. E., see McCabe, R. J.
Mitra, A., Panda, A. K., Singh, S. R., Rao, V., and Ramachandrarao, P.: Magnetic and structural behaviours of nanocrystalline $Fe_{70.8}Nb_{3.7}Cu_1Al_{2.7}Mn_{0.7}Si_{13.5}B_{7.6}$ alloy . . . . . 1495
Mittemeijer, E. J., see Bor, T. C.
Mittemeijer, E. J., see Pekelharing, M. I.
Mittemeijer, E. J., see Welzel, U.
Miura, E., Ota, K., Yoshimi, K., and Hanada, S.: Internal-friction study of the interstitial–substitutional effect on the deformation behaviour of Nb–O, Nb–Ta–O and Nb–Mo–O single crystals . . . . . 2343
Miyazaki, S., see Yamamoto, K.
Mogck, S., Kooi, B. J., and De Hosson, J. Th. M.: Competitive segregation of gallium and indium at heterophase Cu–MnO interfaces studied with transmission electron microscopy . . . . . 727
Mohamed, F. A., see Xun, Y.
Mohammad, S. N., see Polyakov, A. Y.
Mohles, V., see Osetsky, Yu. N.
Mohri, T., see Ohno, M.
Moldovan, D., Wolf, D., and Phillpot, S. R.: Linking atomistic and mesoscale simulations of nanocrystalline materials: quantitative validation for the case of grain growth . . . . . 3643

Molotskii, M., and Fleurov, V.: Plasticity of ferromagnets near the Curie point . 1421
Mompiou, F., Bresson, L., Cordier, P., and Caillard, D.: Dislocation climb and low-temperature plasticity of an Al–Pd–Mn quasicrystal . . . . . 3133
Monnereau-Pittet, C., see Cox, S. J.
Montel, F., see Colombani, J.
Montel, F., see Galliéro, G.
Montel, F., see Wilbois, B.
Moore, K. T., see Sharma, S. S.
Morelon, N.-D., Ghaleb, D., Delaye, J.-M., and Van Brutzel, L.: A new empirical potential for simulating the formation of defects and their mobility in uranium dioxide . . . . . 1533
Morigaki, K., see Yamaguchi, M.
Morioka, K., see Tanaka, K.
Morita, K., see Kim, B.-N.
Morris, J. R., see Biner, S. B.
Movchan, A. B., Bullough, R., and Willis, J. R.: Two-dimensional lattice models of the Peierls type . . . . . 569
Mughrabi, H., see Lu, Z.
Muñoz-Bernabé, A., see Gómez-García, D.
Munroe, P. R., see Wu, D.
Murch, G. E., see Belova, I. V.
Murch, G. E., see Brown, M. J.
Murray, R. T., Hill, G., Hopkinson, M., and Parbrook, P. J.: Crack initiation and termination in III–V epitaxial layers . . . . . 3077
Myznikova, B. I., see Smorodin, B. L.

Nabarro, F. R. N.: One-dimensional models of thermal activation under shear stress 3047
Nagashio, K., see Li, M.
Nagata, S., see Iijima, Y.
Nagendra, N., see Basu, J.
Nakamura, R., and Iijima, Y.: Self-diffusion of aluminium in the intermetallic compound Fe–48 at.% Al . . . . . 477
Nakano, T., see Chiu, Y.-L.
Nakatsuji, S., see Drymiotis, F.
Nazarov, A. A., see Bachurin, D. V.
Nembach, E., see Baither, D.
Nemilov, S. V., and Johari, G. P.: A mechanism for spontaneous relaxation of glass at room temperature . . . . . 3117
Ngan, A. H. W., see Liang, H. Y.
Nguyen-Manh, D., see Znam, S.
Ni, L., and Markenscoff, X.: The logarithmic singularity of an accelerating edge dislocation . . . . . 3723
Nieh, T. G., see Schuh, C. A.
Nishimura, H., see Matsunaga, K.
Noakes, D. R., see Harshman, D. R.
Noebe, R. D., see Srinivasan, R.
Nogués, J., see Sort, J.

O'Dowd, N. P., see Dumoulin, S.
O'Handley, R. C., see Jin, X.
Oates, W. A., see Huang, M.
Oba, F., see Shibata, N.
Ogi, H., Kai, S., Ichitsubo, T., Hirao, M., and Takashima, K.: Elastic-stiffness coefficients of a silicon carbide fibre at elevated temperatures: acoustic spectroscopy and micromechanics modelling . . . . . 503
Oh, K. H., see Shin, C. S.
Oh, S. H., and Park, C. G.: Microstructural accommodation of excess Ru in epitaxial $SrRuO_3$ films . . . . . 1307

Ohno, M., and Mohri, T.: Relaxation kinetics of the long-range order parameter in a non-uniform system studied by the phase field method using the free energy obtained by the cluster variation method . . . . . 315
Ohno, Y., see Yamasaki, J.
Ohnuki, S., see Watanabe, S.
Ohta, M., Berlev, A. E., Khonik, V. A., and Kitagawa, K.: Isothermal creep of bulk glassy $Zr_{52.5}Ti_5Cu_{17.9}Ni_{14.6}Al_{10}$ below $T_g$ . . . . . 3463
Ok, J. B., Kim, I. J., Yi, S., Kim, W. T., and Kim, D. H.: Solidification microstructure of as-cast Mg–Zn–Y alloys . . . . . 2359
Okamoto, N. L., see Inui, H.
Olhe, P., see Höche, T.
Ondrejcek, M., see Appleton, R. S.
Orlová, A., and Dobeš, F.: Internal stress and heterogeneous dislocation structure in creep . . . . . 2681
Osetsky, Yu. N., Bacon, D. J., and Mohles, V.: Atomic modelling of strengthening mechanisms due to voids and copper precipitates in $\alpha$-iron . . . . . 3623
Osetsky, Yu. N., Bacon, D. J., Serra, A., Singh, B. N., and Golubov, S. I.: One-dimensional atomic transport by clusters of self-interstitial atoms in iron and copper . . . . . 61
Osetsky, Yu. N., see Puigvi, M. A.
Osterstock, F., see Tancret, F.
Ota, K., see Miura, E.
Otsuka, M., see Takagi, H.
Ovid'ko, I. A., and Sheinerman, A. G.: Grain-boundary dislocations and enhanced diffusion in nanocrystalline bulk materials and films . . . . . 1551

Pailloux, F., see Maurice, J.-L.
Pal, M., Sega, K., Chaudhuri, B. K., and Sakata, H.: Transport and dielectric properties of $V_2O_5$–MnO–$TeO_2$ glasses . . . . . 1379
Palmer, R. E., see Plaza, J. L.
Panda, A. K., see Mitra, A.
Pang, G. K. H., see Meng, X.
Parbrook, P. J., see Murray, R. T.
Park, C. G., see Oh, S. H.
Patriarche, G., see Largeau, L.
Pekelharing, M. I., Böttger, A. J., and Mittemeijer, E. J.: Application of the cluster variation method to an interstitial solid solution: calculation of the $\gamma'$-$Fe_4N_{1-x}$–$\varepsilon$-$Fe_2N_{1-z}$ equilibrium . . . . . 1775
Peker, A., see Löffler, J. F.
Pereyra, R. A., see Boehlert, C. J.
Peterson, E., see Drymiotis, F.
Pettifor, D. G., see Znam, S.
Phillips, J. C.: Nanoscopic filters as the origin of d-wave energy gaps . . . . . 3255
Phillips, J. C.: Network topology and dispersive kinks observed by high-resolution photoemission spectroscopy in cuprate high-temperature superconductors . 1949
Phillips, J. C.: Network topology and subgap resonances observed by Fourier transform scanning tunnelling microscopy of cuprate high-temperature superconductors . . . . . 3267
Phillpot, S. R., see Moldovan, D.
Piazza, R.: Thermal diffusion in ionic micellar solutions . . . . . 2067
Pickles, C. S. J., see Davies, A. R.
Pittet, N., see Cox, S. J.
Pizzagalli, L., Beauchamp, P., and Rabier, J.: Undissociated screw dislocations in silicon: calculations of core structure and energy . . . . . 1191
Platten, J. K., Bou-Ali, M. M., and Dutrieux, J. F.: Precise determination of the Soret, thermodiffusion and isothermal diffusion coefficients of binary mixtures of dodecane, isobutylbenzene and 1,2,3,4-tetrahydronaphthalene (contribution of the University of Mons to the benchmark test) . . . . . 2001

Platten, J. K., Bou-Ali, M. M., Costesèque, P., Dutrieux, J. F., Köhler, W., Leppla, C., Wiegand, S., and Wittko, G.: Benchmark values for the Soret, thermal diffusion and diffusion coefficients of three binary organic liquid mixtures . . . . . 1965
Plaza, J. L., Jacke, S., Chen, Y., and Palmer, R. E.: Annealing effects on the microstructure of sputtered gold layers on oxidized silicon investigated by scanning electron microscopy and scanning probe microscopy . . . . . 1137
Pollini, I.: Electron correlation and hybridization in late-transition-metal compounds 775
Polyakov, A. Y., Smirnov, N. B., Govorkov, A. V., Bublik, V. T., Botchkarev, A. E., Griffin, J. A., Johnstone, D. K., Steiner, T., and Mohammad, S. N.: Defects and localized states in dilute $GaAs_{1-x}N_x$ solid solutions prepared by molecular-beam epitaxy . . . . . 2531
Pond, R. C., see Jiao, H.
Poulsen, H. F.: A six-dimensional approach to microtexture analysis . . . . 2761
Pradell, T., see Suñol, J. J.
Prime, M. B., see Rangaswamy, P.
Prokeš, K., see Andreev, A. V.
Puigvi, M. A., Osetsky, Yu. N., and Serra, A.: Point-defect clusters and dislocation loops in bcc metals: continuum and atomistic study . . . . . 857
Pyczak, F., see Lu, Z.

Qiu, D., and Zhang, W.-Z.: A systematic study of irrational precipitation crystallography in fcc–bcc systems with an analytical O-line method . . . . . 3093
Quance, T., see Mato, S.

Raaen, S., see Juel, M.
Rabier, J., see Pizzagalli, L.
Rabinovitch, A., Frid, V., Goldbaum, J., and Bahat, D.: Polarization–depolarization process in glass during percussion drilling . . . . . 2929
Ramachandra Rao, M. S., Ravindranath, V., and Gross, R.: Evidence of reduction in spin disorder by $Ho^{3+}$ doping in $La_{0.7}Ca_{0.3}MnO$ . . . . . 1631
Ramachandrarao, P., see Mitra, A.
Ramamurty, U., see Basu, J.
Rangaswamy, P., Beyerlein, I. J., Bourke, M. A. M., Prime, M. B., Saigal, A. K., and Williams, T. O.: Residual stresses in continuous-tungsten-fibre-reinforced Kanthal-matrix composites . . . . . 2267
Rao, V., see Mitra, A.
Rarivomanantsoa, M., see Van Brutzel, L.
Ravindranath, V., see Ramachandra Rao, M. S.
Redanz, P., and McMeeking, R. M.: Sintering of a bcc structure of spherical particles of equal and different sizes . . . . . 2693
Reece, M. J., see Guiu, F.
Ren, Z. F., see Harshman, D. R.
Richards, D. F., see Bloomfield, M. O.
Rickman, J. M., see LeSar, R.
Rivière, A., see Largeau, L.
Rivière, J. P., see Largeau, L.
Robach, J. S., Robertson, I. M., Wirth, B. D., and Arsenlis, A.: *In-situ* transmission electron microscopy observations and molecular dynamics simulations of dislocation–defect interactions in ion-irradiated copper . . . . . 955
Robertson, I. M., see Jenčič, I.
Robertson, I. M., see Robach, J. S.
Rocher, A., see Maurice, J.-L.
Rodríguez de la Fuente, O., González, M. A., and Rojo, J. M.: Dislocation configurations around a nanoindentation in the surface of a fcc metal . . 485
Rojo, J. M., see Rodríguez de la Fuente, O.
Rong, T. S., see Cairney, J. M.
Roth, J., see Schaaf, G. D.

Roy, A., see Bandyopadhyay, S.
Ru, C. Q., and Mao, S. X.: Effect of microcracking on electric-field-induced stress intensity factors in dielectric ceramics . . . . . 277
Rüssel, C., see Höche, T.
Russo, S. P., see Barnard, A. S.

Saghir, M. Z., see Chacha, M.
Sahni, V. C., see Aswal, D. K.
Saigal, A. K., see Rangaswamy, P.
Saito, K., see Akatsu, T.
Saito, T., see Matsunaga, K.
Sakata, H., see Pal, M.
Sakuma, T., see Shibata, N.
Samaras, M., Derlet, P. M., Van Swygenhoven, H., and Victoria, M.: Radiation damage near grain boundaries . . . . . 3599
Sanders, W. S., see Miracle, D. B.
Santamaria, C., see Bou-Ali, M. M.
Sarosi, P. M., Hriljac, J. A., and Jones, I. P.: Atom location by channelling-enhanced microanalysis and the ordering of $Ti_2AlNb$ . . . . . 4031
Sato, A., see Yamamoto, K.
Sato, T., see Gastaldi, J.
Scardi, P., see Estevez-Rams, E.
Schaaf, G. D., Roth, J., and Trebin, H.-R.: Dislocation motion in icosahedral quasicrystals at elevated temperatures: numerical simulation . . . . . 2449
Schimpf, M. E., and Semenov, S. N.: Polymer thermophoresis in solvents and solvent mixtures . . . . . 2185
Schneider, R., see Höche, T.
Schuh, C. A., Argon, A. S., Nieh, T. G., and Wadsworth, J.: The transition from localized to homogeneous plasticity during nanoindentation of an amorphous metal . . . . . 2585
Schuh, C. A., Minich, R. W., and Kumar, M.: Connectivity and percolation in simulated grain-boundary networks . . . . . 711
Schultz, L., see Schurack, F.
Schulze, R. K., see Boehlert, C. J.
Schurack, F., Eckert, J., and Schultz, L.: Al–Mn–Ce quasicrystalline composites: phase formation and mechanical properties . . . . . 807
Schurack, F., Eckert, J., and Schultz, L.: Synthesis and mechanical properties of mechanically alloyed Al–Cu–Fe quasicrystalline composites . . . . . 1287
Schwaiger, R., Dehm, G., and Kraft, O.: Cyclic deformation of polycrystalline Cu films . . . . . 693
Šebek, J., see Andreev, A. V.
Sechovský, V., see Andreev, A. V.
Sedláček, R., Kratochvíl, J., and Werner, E.: The importance of being curved: bowing dislocations in a continuum description . . . . . 3735
Sedláček, R., see Forest, S.
Sega, K., see Pal, M.
Seiler, W., see Baczmański, A.
Semenov, A. A., and Woo, C. H.: Theory of Frank loop nucleation at elevated temperatures . . . . . 3765
Semenov, S. N., see Schimpf, M. E.
Semenov, S. N.: Mechanism of particle thermophoresis in pure solvents . . . 2199
Sen Gupta, S. P., see Chatterjee, P.
Senkov, O. N., see Miracle, D. B.
Serra, A., see Osetsky, Yu. N.
Serra, A., see Puigvi, M. A.
Shapiro, A. A., see Gonzalez-Bagnoli, M. G.
Shapiro, A.: Selected Papers from the Fifth International Meeting on Thermodiffusion, Technical University of Denmark, 5–9 August 2002 . . 1963

Sharma, S. S., Moore, K. T., and Howe, J. M.: Transmission electron microscopy investigation of an ordered metastable phase in Zr–N alloys . . . . . 31
Sheinerman, A. G., see Ovid'ko, I. A.
Shibata, N., Oba, F., Yamamoto, T., Sakuma, T., and Ikuhara, Y.: Grain-boundary faceting at a $\Sigma = 3$, [110]/{112} grain boundary in a cubic zirconia bicrystal . 2221
Shiflet, G. J., see Hackenberg, R. E.
Shimizu, K., see Mato, S.
Shin, C. S., Fivel, M. C., Verdier, M., and Oh, K. H.: Dislocation–impenetrable precipitate interaction: a three-dimensional discrete dislocation dynamics analysis . . . . . 3691
Shin, H., see Lee, W.
Shinya, N., see Liu, D. Z.
Shiokawa, Y., see Andreev, A. V.
Shliomis, M. I., Smorodin, B. L., and Kamiyama, S.: The onset of thermomagnetic convection in stratified ferrofluids . . . . . 2139
Silva, S. R. P., see Zeze, D. A.
Sin, J. M., and Soos, Z. G.: Hopping transport in molecularly doped polymers: joint modelling of positional and energetic disorder . . . . . 901
Sinclair, I., see Toda, H.
Singh, A., see Aswal, D. K.
Singh, B. N., see Heinisch, H. L.
Singh, B. N., see Osetsky, Yu. N.
Singh, M. R.: Electric-field-dependent dispersive transport of carriers in band tails of low-dimensional systems . . . . . 797
Singh, S. R., see Mitra, A.
Sinha, N. N.: A combined resonance–Doppler technique for studying bubble evolution in liquids . . . . . 2815
Skeldon, P., see Mato, S.
Smallman, R. E., see Cairney, J. M.
Smirnov, N. B., see Polyakov, A. Y.
Smorodin, B. L., and Myznikova, B. I.: Convective instability of the thermovibrational flow of binary mixture in the presence of the Soret effect . 2155
Smorodin, B. L., see Shliomis, M. I.
Snook, I. K., see Barnard, A. S.
Šob, M., see Friák, M.
Soos, Z. G., see Sin, J. M.
Sort, J., Nogués, J., Suriñach, S., and Baró, M. D.: Microstructural aspects of the hcp–fcc allotropic phase transformation induced in cobalt by ball milling . 439
Srinivasan, R., Daw, M. S., Noebe, R. D., and Mills, M. J.: Observations of glide and decomposition of $a\langle 101\rangle$ dislocations at high temperatures in Ni–Al single crystals deformed along the hard orientation . . . . . 1111
Srolovitz, D. J., see Mendelev, M. I.
Stashans, A., see Castillo, M.
Steiner, T., see Polyakov, A. Y.
Stemmer, S., see Höche, T.
Stenby, E. H., see Gonzalez-Bagnoli, M. G.
Stronach, C. E., see Harshman, D. R.
Strydom, A. M., see Troć, R.
Subramaniam, A.: Vacancy ordered phases in Al–Cu–Ni as quasiperiodic superlattice approximants . . . . . 667
Suda, T., see Watanabe, S.
Suga, Y., see Kishida, K.
Sun, D. Y., see Mendelev, M. I.
Sun, Q., see Wang, B.
Suñol, J. J., Pradell, T., Clavaguera, N., and Clavaguera-Mora, M. T.: Ball milling of $Fe_{40}Ni_{40}P_{20-x}Si_x$ ($x = 6$, 10 and 14): production and characterization. . . 2323
Suriñach, S., see Sort, J.
Svoboda, J., see Fischer, F. D.

Swiech, W., see Appleton, R. S.
Syshchenko, O., see Andreev, A. V.
Szunyogh, L., see Wang, K.

Takagi, H., Dao, M., Fujiwara, M., and Otsuka, M.: Experimental and computational creep characterization of Al–Mg solid-solution alloy through instrumented indentation . . . . . 3959
Takahashi, H., see Watanabe, S.
Takashima, K., see Inamura, T.
Takashima, K., see Ogi, H.
Takeda, S., see Yamasaki, J.
Takeuchi, I., see Lu, C. J.
Talbot, D., see Alves, S.
Tanabe, Y., see Akatsu, T.
Tanaka, K., and Morioka, K.: Shape memory characteristics in the $L1_0$–fcc order–disorder transformation of FePd . . . . . 1797
Tanaka, K., see Inui, H.
Tancret, F., and Osterstock, F.: Indentation behaviour of porous materials: application to the Vickers indentation cracking of ceramics . . . . . 125
Tancret, F., and Osterstock, F.: Modelling the toughness of porous sintered glass beads with various fracture mechanisms . . . . . 137
Tandon, S., see Beleggia, M.
Tanguy, D., and Magnin, T.: Atomic-scale simulation of intergranular segregation of H in Al–Mg: implications for H-induced damage . . . . . 3995
Tautkus, S., see Kareiva, A.
Thibault, J., see Lay, S.
Thinaharan, C., see Aswal, D. K.
Thompson, G. E., see Mato, S.
Toda, H., Sinclair, I., Buffière, J.-Y., Maire, E., Connolley, T., Joyce, M., Khor, K. H., and Gregson, P.: Assessment of the fatigue crack closure phenomenon in damage-tolerant aluminium alloy by *in-situ* high-resolution synchrotron X-ray microtomography . . . . . 2429
Torra, V., see Condó, A. M.
Tran, V. H., see Troć, R.
Trebin, H.-R., see Schaaf, G. D.
Troć, R., Strydom, A. M., du Plessis, P. de V., Tran, V. H., Czopnik, A., and Cockroft, J. K.: Gap closure in semiconducting APtSn cubic compounds (A = U, Th or Zr) . . . . . 1235
Tsai, A. P., see Gastaldi, J.
Tse, J. S., see Chen, K.

Umakoshi, Y., see Chiu, Y.-L.
Umakoshi, Y., see Xiao, L.

Vailati, A., see Cerbino, R.
Valencia, J. J., see Bou-Ali, M. M.
van Aken, P. A., see Höche, T.
van Bouwelen, F. M., Field, J. E., and Brown, L. M.: Electron microscopy analysis of debris produced during diamond polishing . . . . . 839
Van Brutzel, L., Delaye, J.-M., Ghaleb, D., and Rarivomanantsoa, M.: Molecular dynamics studies of displacement cascades in the uranium dioxide matrix . 4083
Van Brutzel, L., see Morelon, N.-D.
Van Swygenhoven, H., see Derlet, P. M.
Van Swygenhoven, H., see Samaras, M.
Van Vaerenbergh, S., see Chacha, M.
Vaz, M. F., see Cox, S. J.
Velasco, C., see Castillo, M.
Verdier, M., see Shin, C. S.

Veyssière, P., see Chiu, Y.-L.
Veyssière, P., see Couret, A.
Victoria, M., see Samaras, M.
Viehland, D., and Li, J. F.: Stress-induced phase transformations in ⟨001⟩-oriented $Pb(Mg_{1/3}Nb_{2/3})O_3$–$PbTiO_3$ crystals: bilinear coupling of ferroelastic strain and ferroelectric polarization . . . . . 53
Viswanadham, C. S., see Aswal, D. K.
Vitek, V., see Friák, M.
Vitek, V., see Znam, S.
Voorhees, P. W., see Lund, A. C.

Wadsworth, J., see Schuh, C. A.
Walgraef, D.: Reaction–diffusion approach to nanostructure formation during thin-film deposition . . . . . 3829
Wang, B., Woo, C. H., Sun, Q., and Yu, T. X.: Critical thickness for dislocation generation in epitaxial piezoelectric thin films . . . . . 3753
Wang, B. L., and Mai, Y.-W.: Thermal shock fracture of piezoelectric materials . 631
Wang, D. Z., see Harshman, D. R.
Wang, J., see Gastaldi, J.
Wang, K., Levy, P. M., Zhang, S., and Szunyogh, L.: On the calculation of the magnetoresistance of tunnel junctions with parallel paths of conduction . . 1255
Wang, R. M., and Eliezer, D.: Influence of hydrogenation on the microstructure and crystallization of Zr–Cu–Ni–Al–Y metallic glass . . . . . 2545
Wang, X., see Höche, T.
Wang, Y., see Zhang, Z. H.
Wang, Y. U., see Jin, Y. M.
Wang, Z., see Han, X.
Warren, P. J., see Kim, K. B.
Wassermann, B.: Growth of iron films on MgO(100) substrates at 560–600 K . . 1929
Watanabe, S., Hoshino, M., Koike, T., Suda, T., Ohnuki, S., Takahashi, H., and Lam, N. Q.: Temporal fluctuation and its power law in the crystalline-to-glass transition during electron irradiation . . . . . 2599
Weaire, D., and Hutzler, S.: Dilatancy in liquid foams . . . . . 2747
Weaire, D., see Kern, N.
Wei, B., see Han, X. J.
Welzel, U., Leoni, M., and Mittemeijer, E. J.: The determination of stresses in thin films; modelling elastic grain interaction . . . . . 603
Werner, E., see Sedláček, R.
Wert, J. A., and Huang, X.: Extended planar boundary inclinations in fcc single crystals and polycrystals subjected to plane strain deformation . . . . 969
Wiegand, S., see Leppla, C.
Wiegand, S., see Platten, J. K.
Wiezorek, J. M., see Mao, S. X.
Wilbois, B., Galliéro, G., Caltagirone, J.-P., and Montel, F.: Macroscopic model of multicomponent fluids in porous media . . . . . 2209
Williams, T. O., see Rangaswamy, P.
Willis, J. R., see Movchan, A. B.
Wills, A. S., Detlefs, C., and Canfield, P. C.: Symmetry analysis of the interplay between local moment anisotropies and propagation vectors in the borocarbides 1227
Wirth, B. D., see Robach, J. S.
Wittko, G., and Köhler, W.: Precise determination of the Soret, thermal diffusion and mass diffusion coefficients of binary mixtures of dodecane, isobutylbenzene and 1,2,3,4-tetrahydronaphthalene by a holographic grating technique . . 1973
Wittko, G., see Platten, J. K.
Wittmann, R., see Döblinger, M.
Wolf, D., see Moldovan, D.
Woo, C. H., see Liang, H. Y.
Woo, C. H., see Semenov, A. A.

Woo, C. H., see Wang, B.
Wright, A. C., and Maung, N.: On the origin of compositional fluctuations in $ZnSe_{1-x}S_x$ alloys grown by metal–organic vapour-phase epitaxy . . . . 2641
Wu, D., Munroe, P. R., and Baker, I.: The paramagnetic-to-ferromagnetic transition in B2-structured Fe–Al single crystals: experiments and calculations . . . 295
Wu, W. T., see Hu, Q. M.

Xiao, L., and Umakoshi, Y.: Cyclic deformation behaviour and saturation bundle structure in Ti–5 at.% Al single crystals deforming by single prism slip . . 3407
Xu, D. S., see Hu, Q. M.
Xu, Q. Y., see Liang, D. D.
Xu, T.: Creating and destroying vacancies in solids and non-equilibrium grain-boundary segregation . . . . . 889
Xun, Y., and Mohamed, F. A.: Slip-accommodated superplastic flow in Zn–22 wt% Al . . . . . 2247

Yakhmi, J. V., see Aswal, D. K.
Yamaguchi, M., and Morigaki, K.: Effect of hydrogen dilution on the optical properties of hydrogenated amorphous silicon–nitrogen films prepared by plasma deposition . . . . . 2955
Yamaguchi, M., see Inui, H.
Yamamoto, K., Miyazaki, S., Kumai, S., and Sato, A.: Strong magnetization by antiphase-boundary tubes in a cyclically deformed Fe–35 at.% Al alloy . . 1431
Yamamoto, T., see Matsunaga, K.
Yamamoto, T., see Shibata, N.
Yamasaki, J., Ohno, Y., Takeda, S., and Kimura, Y.: Extended vacancy-type defects in silicon induced at low temperatures by electron irradiation . . . . . 151
Yang, R., see Hu, Q. M.
Yasuda, E., see Akatsu, T.
Yavari, A. R., see Louzguine, D. V.
Yi, S., see Ok, J. B.
Yip, S., see Cai, W.
Yoshimi, K., see Miura, E.
Yu, T. X., see Liang, H. Y.
Yu, T. X., see Wang, B.
Yusuf, S. M., see Aswal, D. K.

Zabloudil, J., see Hammerling, R.
Zeze, D. A., Silva, S. R. P., Haq, S., and Harris, S. J.: Comparison of the X-ray photoelectron and electron-energy-loss spectra of the nitrogen-doped hydrogenated amorphous carbon bond . . . . . 1937
Zhang, S., and Chen, N.: Determination of the B1–B2 transition path in RbCl by Möbius pair potentials . . . . . 1451
Zhang, S., see Wang, K.
Zhang, W.-Z., see Qiu, D.
Zhang, Y., see Kim, K. B.
Zhang, Z. H., Bian, X. F., and Wang, Y.: Microstructural characterization of rapidly solidified $Al_{90}Ce_{10}$ alloy . . . . . 827
Zhao, L. R., see Chen, K.
Zhao, X. B., see Zhu, T. J.
Zhou, F., see Huang, J. Y.
Zhou, F., see Liao, X. Z.
Zhu, T. J., Zhao, X. B., and Lü, L.: Kinetics of β-phase transformation in the heat treatment of $FeSi_2$- and $Fe_2Si_5$-based thermoelectric alloys . . . . . 2865
Zhu, Y., see Beleggia, M.
Zhu, Y. T., see Huang, J. Y.
Zhu, Y. T., see Liao, X. Z.
Zikry, M. A., see Ashmawi, W. M.

Znam, S., Nguyen-Manh, D., Pettifor, D. G., and Vitek, V.: Atomistic modelling of TiAl I. Bond-order potentials with environmental dependence . . . . . 415